

PARTS AND INSTRUCTION MANUAL

3030PM22

REV. 2-20-18



MODEL	DESCRIPTION	WT./@ IN LBS.
QR-E-3	Strapless "E" Cylinder Bracket for All-In-One Regulators	8.3



ITEM	_		
NO.	PART NO.	DESCRIPTION	QTY.
1	3030-106-103	E/JUMBO E-CYLLARGE REGULATOR	1
2	3030-114-101	E-CYL BRACKET BASE	1
3	9110-361608	#8 x 1/2" FLAT HD, SOCKET HD, S.S.	2
4	3030-113-109	D-CYL. BRACKET CAM (LEFT)	1
5	3030-113-111	D-CYL. BRACKET CAM (RIGHT)	1
6	3030-113-113	D-CYL. BRACKET CAM SPRING	2
7	3030-113-115	D-CYL. BRACKET CAM SPACER	2
8	3030-113-117	D-CYL. BRACKET RETURN SPRING RH	1
9	3030-113-119	D-CYL. BRACKET RETURN SPRING LH	1
10	3030-113-121	D-CYL. BRACKET SPRING JACKET	1
11	9110-352514	BUTTON HD CAP, 1/4"-20 x 7/8 S.S.	2
12	9114-112500	WASHER, 1/4" FLAT S.S.	2
13	9113-172500	LOW PRO. NUT, 1/4-20, NYLON LOCK S.S.	2
14	3030-110-105	EDGE GUARD, VINYL	1
15	9114-111600	#8 FLAT WASHER, NARROW S.S.	2
16	9113-191700	LOW PRO. NUT, #8, NYLON LOCK S.S.	2
27	3030-106-105	LABEL, PATENT#, QD-E-3	1
28	3030-112-117	LABEL, OXYGEN WARNING	1

Operating Instructions

To store standard and steel "E" cylinders:

- 1. Place cylinder into bracket bottom-first, onto the E-Cyl. Bracket Base (2).
- 2. Press cylinder through the bracket cams (4 & 5), until both click into the locked position.
- 3. Check that the cylinder is now secure against the bracket cams.

To remove cylinders:

- 1. Slightly press cylinder against the E-Cyl. Bracket Return Spring Assembly (8, 9 & 10) to relieve pressure on the latch.
- 2. Squeeze bracket cams (4 & 5) inward, toward each other, to disengage the latches.
- 3. Allow E-Cyl. Bracket Return Spring Assembly to push the cylinder free of the bracket cams.

Mounting Instructions

- Mount vertically.
- Brackets may be mounted side by side.
- Minimum of 6 mounting points using 1/4" dia. hardware with fender washers.
- Mounting surface must be able to withstand a pull-out force exceeding strength of screws.

Ziamatic Corp.

www.ziamatic.com TOLL FREE: 800-711-3473

10 West College Avenue, P.O. Box 337, Yardley, PA 19067-0587 • (215) 493-3618 • FAX: (215) 493-1401

*ZICO is a registered trademark for fire, safety and marine products made by Ziamatic Corp.

Copyright Ziamatic Corp. 2-18