



**SMARTER SOLUTIONS  
FOR FIRST RESPONDERS**



**NEW  
PRODUCTS  
GUIDE**

1-800-711-FIRE  
SALES@ZIAMATIC.COM  
WWW.ZIAMATIC.COM



# SURE-GRIP TOOL AND EQUIPMENT MOUNTS

FEATURE A GRIP RANGE THAT SUITS VIRTUALLY EVERY HAND-OPERATED TOOL THAT CAN BE WALL MOUNTED.



Dependable, precise, fast, strong, and efficient, our SURE-GRIP Tool and Equipment Mounts represent the next evolution in apparatus tool and equipment mounting. They are simply, tool and equipment mounting improved. The heavy-duty, all-weather hook & loop strap conforms to your tool or equipment, no matter the shape, providing a larger surface area and a tighter, more "true" grip every time.

## SURE-GRIP

MODELS:

SG-VM-1  
SG-VM-1-Y

FOR TOOLS WITH A  
SMALLER DIAMETER



3/4" TO 2"  
GRIP RANGE



SCAN FOR  
MORE  
INFORMATION.



## SURE-GRIP XL, XLS

MODELS:

SG-VM-XL  
SG-VM-XL-Y  
SG-VM-XLS  
SG-VM-XLS-Y

FOR TOOLS WITH A  
LARGER DIAMETER



2" TO 4"  
GRIP RANGE



SCAN FOR  
MORE  
INFORMATION.



See why more departments than ever before are choosing the SURE-GRIP.  
Call 800-711-FIRE today to request 30 days of test & evaluation.



# SURE-GRIP TOOL AND EQUIPMENT MOUNTS

FEATURE A GRIP RANGE THAT SUITS VIRTUALLY EVERY  
HAND-OPERATED TOOL THAT CAN BE WALL MOUNTED.



## SURE-GRIP 275

MODELS:  
SG-VM-275  
SG-VM-275-Y

FOR IRREGULAR  
SHAPED TOOLS



SCAN FOR  
MORE  
INFORMATION.



## SURE-GRIP 275-P

MODELS:  
SG-VM-275-P

FOR PIKE POLES



SCAN FOR  
MORE  
INFORMATION.



A PIKE POLE CAN BE SLID IN TO SURE-GRIP 275-P WHILE  
THE STRAP AND BRACKET OF THE SURE-GRIP 275 SECURES.

## SURE-GRIP XL EQUIPMENT HOLDERS

KEEP STRUTS, JACKS, RAMS, AND OTHER LARGE EQUIPMENT FROM SHIFT-  
ING WITH THESE DURABLE, COST-EFFECTIVE MOUNTS.

A QUICK AND EASY-TO-USE SURE-GRIP XL FIRMLY HUGS THE EQUIPMENT  
AND PREVENTS SAGGING WHILE A MOISTURE-  
RESISTANT NEOPRENE BASE PROTECTS AND CONTAINS.

CHOOSE FROM SIX DIFFERENT BASE DIAMETERS.



Scan here.





# SURE-GRIP TOOL AND EQUIPMENT MOUNTS

FEATURE A GRIP RANGE THAT SUITS VIRTUALLY EVERY HAND-OPERATED TOOL THAT CAN BE WALL MOUNTED.

## THE VERSATILE **ADJUSTABLE SURE-GRIP**



FOR EXTRICATION TOOLS, LARGER EQUIPMENT, AND TOOLS REQUIRING A LARGER GRIP RANGE.

The **Adjustable SURE-GRIP** is strong, long lasting, non-corrosive, and non-marring. Its adjustable supports allow for a larger equipment grip range.

The **Adjustable SURE-GRIP** has an infinite grip range and is easily adjusted to fit different equipment. Tension is applied by pulling away from the mount, giving you more leverage and allowing you to apply more of your strength when securing.



SCAN FOR  
MORE  
INFORMATION.




## ADJUSTABLE SURE-GRIP MODELS INCLUDE:

- SG-VM-A-1625 (pictured below)
- SG-VM-A-LS (less strap)
- SG-VM-A-LSC (less strap and channel)



## PLASTIC ADJUSTABLE BASE CHANNEL

The **Adjustable SURE-GRIP** can be paired with Ziamatic's **Plastic Adjustable Base Channel (model PABC-72)** (pictured below), and paired with super strong equipment supports, molded with super tough nylon.



SCAN FOR  
MORE  
INFORMATION.



# SURE-GRIP TOOL AND EQUIPMENT MOUNTS

FEATURE A GRIP RANGE THAT SUITS VIRTUALLY EVERY HAND-OPERATED TOOL THAT CAN BE WALL MOUNTED.

▶ **THE SURE-GRIP CAN NOW MOUNT TO TRACK MOUNTING.**



**1**

## MODELS:

SG-VM-TN10 (pack of 10)  
SG-VM-TN20 (pack of 20)



**2**



**3**



**SURE-GRIP  
TRACK NUT  
AND TOOL KIT**

**4**




SCAN FOR  
MORE  
INFORMATION.



# SURE-GRIP TOOL AND EQUIPMENT MOUNTS

FEATURE A GRIP RANGE THAT SUITS VIRTUALLY EVERY HAND-OPERATED TOOL THAT CAN BE WALL MOUNTED.



## SURE-GRIP HOOK TOOL MOUNTING BRACKETS

MODELS:  
SG-VM-ZHL (LEFT)  
SG-VM-ZHR (RIGHT)

Firefighters can use Ziamatic's **SURE-GRIP Hook Tool Mounting Brackets** to safely store Ziamatic's Z hook tools and many other NY hook style tools.

The hook tool brackets were designed using stainless steel to complement all truck body styles and looks while maintaining a strong attractive finish.

\*NOTE: Each kit contains a stainless steel mounting bracket (see picture below) and a SURE-GRIP tool mounting bracket, and a strap (SG-VM-1).



## Z HOOK TOOL MOUNTING KIT (UNCLUDES Z HOOK TOOL)

MODELS:  
SG-VM-ZHR-6  
SG-VM-ZHR-8  
SG-VM-ZHL-6  
SG-VM-ZHL-8

Store your Z Hook Tools safely with Ziamatic's new SURE-GRIP Z Hook Tool Mounting Kits. These new mounting kits provide firefighters with a Z Hook Tool (6 foot or 8 foot), and the bracket and mount they can use to safely store it.



SCAN FOR  
MORE  
INFORMATION.



SCAN FOR  
MORE  
INFORMATION.



# VEHICLE STEPS AND PREMIX HOLDERS

ZIAMATIC'S MANUAL VEHICLE STEPS ARE MADE TO LAST AND PULL OUT WHEN NEEDED. OUR PREMIX HOLDERS ARE NON-CORROSIVE.



## MANUAL PULL OUT STEPS

### FEATURES:

EACH STEP CREATES AN OPTIMAL STEPPING DISTANCE BELOW PUMP PANELS, HOSE BEDS, AND MORE. EACH STEP MAY BE RETROFITTED ONTO EXISTING APPARATUS AND IS MADE FROM HIGH-STRENGTH ALUMINUM ALLOY AND STEEL FOR MAXIMUM DURABILITY. ZINC-PLATED FOR CORROSION RESISTANCE. OPEN DIAMOND PATTERN STEPPING SURFACE ALLOWS MUD AND DEBRIS TO FALL THROUGH.

#### MODELS:

MPOS-18, MPOS-24,  
MPOS-36, MPOS-48

FOUR SIZES: 18", 24", 36", 48"



SCAN FOR  
MORE  
INFORMATION.

## PREMIX HOLDERS



**SINGLE**



**DOUBLE**



**GALLON**

**OUR PREMIX HOLDERS** KEEP YOUR CHOICE OF CANS OR CONTAINERS SECURED AND ORGANIZED WHERE YOU NEED THEM MOST. THEY REDUCE THE RISK OF AN ITEM ROLLING, FALLING, LEAKING, DENTING, AND PUNCTURING DURING TRANSPORT.



SCAN FOR  
MORE  
INFORMATION.



# A BETTER WAY TO ATTACK VEHICLE FIRES ...

ZIAMATIC'S VEHICLE COOLING UNITS ARE EFFICIENT. OUR VCU-36 UNIT USES AS LITTLE AS 40 GALLONS OF WATER PER MINUTE. AFTER MORE THAN A YEAR IN PRODUCTION, MANY OF OUR VCUs ARE NOW IN SERVICE AROUND THE WORLD.



## SPECS

- 1/16" DIAMETER HOLES
- 83 HOLES PER 3 FOOT SECTION
- 140 DEGREE SPRAY PATTERN
- 5.5" GROUND CLEARANCE

ZIAMATIC OFFERS  
7 DIFFERENT MODELS  
AT DIFFERENT SIZES.

THE VCU-36 IS 39" IN LENGTH,  
FEATURES 83 SPRAY HOLES,  
AND CAN BOAST A FLOW RATE OF  
40-60 G.P.M.



SCAN FOR  
MORE  
INFORMATION.



# ... IS HERE.


## ZICO'S VEHICLE COOLING UNITS



Our new **Vehicle Cooling Units** adapt to conventional fire hoses using a NHT 1.5 double female coupling (sold with). Our **Vehicle Cooling Units** can be slid underneath vehicles with a ground clearance of 5.5 inches and still be very effective. For international customers, ground clearances may vary depending on the diameter of the outer coupling used.

CLOSE-UP  
OF END  
CAP

CLOSE-UP  
OF SPRAY  
HOLES





# A GAME CHANGER

"Ziamatic's Double Hard Sleeve  
Gantry is so easy to use, my kids  
were able to make it work."

- Mark Smith, Hobbie  
Volunteer Fire Company





# FOR MANUAL **HARD SLEEVE RETRIEVAL.**



## **DOUBLE HARD SLEEVE GANTRY**



Ziamatic's new Double Hard Sleeve Gantry could be the safest way to retrieve two hard sleeves from an eight-foot-high compartment top or mounting area. It can make a multi-person operation into a one-person operation. It can be a very helpful product for those departments that have only a few firefighters responding to calls.

The Double Hard Sleeve Gantry is designed around the standard areas that double hard sleeve stationary mounts are commonly seen, making this system a good choice for retrofitting or specking in to new truck bids.

### **MODELS**

- HSG-2-O-10 (Officer's side of vehicle)
- HSG-2-D-10 (Driver's side of vehicle) – for 10-foot hard sleeves
- HSG-2-O-12 (Officer's side of vehicle)
- HSG-2-D-12 (Driver's side of vehicle) – for 12-foot hard sleeves



Close-up  
of Side-  
By-Side  
Gantry



## **SIDE-BY-SIDE DOUBLE HARD SLEEVE GANTRY**



Ziamatic's new Double Hard Sleeve Gantry could be the safest way to retrieve two hard sleeves from an eight-foot-high compartment top or mounting area. It can make a multi-person operation into a one-person operation. It can be a very helpful product for those departments that have only a few firefighters responding to calls.

### **MODELS**

- HSG-2-8-SXS - Side by Side Double Hard Sleeve Gantry for two 8 foot hard sleeves.
- HSG-2-10-SXS – Side-By-Side Double Hard Sleeve Gantry – for two 10-foot hard sleeves
- HSG-2-12-SXS – Side-By-Side Double Hard Sleeve Gantry – for two 12-foot hard sleeves




**MODEL  
QR-MV-2**

# MULTI-VERSAL BRACKET WITH HOOK STRAP AND QUICK RELEASE GATE

Your work is hard enough. Why not make things a little easier? Ziamatic's new Patent Pending Multiversal Bracket with Hook Strap and Quick Release Gate is easy to use with a new hook and cam buckle combination. Simply press on the cam buckle to loosen or tighten the heavy duty 2- inch strap. When properly tightened, the hooks, buckles and straps hold a cylinder snugly in place.

The bracket consists of only two separate ends (a base and retainer). The base and retainer ends can be spaced apart to accommodate "M", "G", "H" and "J" cylinders. The bracket features a new, ambidextrous, quick release gate that remains secured and attached from two  $\frac{1}{4}$ " 20 weld nuts and held tight by a durable hand knob. Swing closed and tighten to secure.

Straps adjust to cylinder diameters of 6-3/4" to 9-1/4"



Base Dimensions: 21"L x 9"W x 8" D  
Retainer Dimensions: 14-3/8"L x 9"W x ?H  
Straps(4) : 2"x 40"  
J Hooks (4): 3 1/8" L  
Cam buckles (4): 3" L

SCAN FOR  
MORE  
INFORMATION.



1

2

3





# OTS FOR ALUMINUM M CYLINDERS

This new QUIC-RELEASE Oxygen Tank System from Ziamatic is designed specifically for aluminum M" cylinders. The system lowers cylinders safely and quickly to floor level for easy replacement. It is powered by a single electric actuator meeting the UL-1500 Standard for Ignition Protection. The safety latch holds the unit firmly in place. The operating latch is on the opposite side of the motor.

The unit requires a 12 VDC with 20 amp circuit and is equipped with a back-driving actuator that prevents the unit from holding the weight of the apparatus if air suspension is lowered.



## MODELS:

QR-OTS-MR-A  
QR-OTS-ML-A  
QR-OTS-MR-A-HHS  
QR-OTS-ML-A-HHS  
QR-HSS/B



SCAN FOR  
MORE  
INFORMATION.



## HOOK STRAP

Part: 3030-135-147

Ziamatic's new Hook Strap makes securing cylinders easy with a new hook and cam buckle combination. Simply press on the cam buckle to loosen or tighten the heavy duty 2-inch strap.



SCAN FOR  
MORE  
INFORMATION.

## Dimensions:

Straps: 2"x 40"  
J Hook: 3 1/8" L  
Cam buckle: 3" L



# QUIC-SLIDE SWING-DOWN SCBA BRACKET

Reduce firefighter exposure to harmful chemicals and carcinogens without having to sacrifice speed, comfort, and operational efficiency on the fire scene.

Model QSSD safely stores the SCBA in a side compartment and when needed, slides out and swings down to a convenient height for quick, safe, and easy donning from a comfortable standing position.

Offers flexibility for personnel of varying heights—a firefighter can choose to deploy swing for lower access, or simply slide out and don from the higher stored position.

MODELS: QSSD-5,  
QSSD-6, QSSD-LB



Scan for more  
information.



WORKS WITH BOTH HINGED AND ROLL-UP DOORS.



# QUIC-SWING FLIP-DOWN

# 180°

Reduce firefighter exposure to harmful chemicals and carcinogens without having to sacrifice speed, comfort, and operational efficiency on the fire scene.

The bracket safely stores the SCBA in a side compartment and when needed, smoothly slides out and flips end-over-end for quick and easy retrieval.

## MODELS:

QS-FD-180-5,  
QS-FD-180-6,  
QS-FD-180-LB



SCAN FOR  
MORE  
INFORMATION.



## FEATURES:

- ALLOWS FOR DONNING FROM A COMFORTABLE STANDING POSITION WITHOUT REACHING OR STRAINING.
- STORED SCBA FACES THE REAR OF THE COMPARTMENT, REDUCING CHANCES OF A STRAP OR HOSE BEING CAUGHT, PINCHED, OR DAMAGED BY THE DOOR.
- IDEAL FOR CLEAN CAB CONCEPTS OR JUST EASIER ACCESS TO COMPARTMENT-MOUNTED AIR CYLINDERS.
- SUPPORTS EASIER INSPECTION OF CYLINDER AND HARNESS.



Front and back cover photography by Jeff Goldberg.



Scan here to view  
a digital version  
of this catalog.



1-800-711-FIRE | ZIAMATIC.COM